

COSHH ASSESSMENT

PRODUCT NAME:	Universal Grease Spray	MANUFACTURER:	Berner
DATE	24/07/2025	STORAGE LOCATION:	Metal Cabinet
PROCESS:	Spray on area from 30cm		

CLASSIFICATION OF SUBSTANCES

								
Explosive	Flammable	Gas under pressure	Oxidising	Corrosive	Acute Toxicity	Hazardous to environment	Health Hazard	Health Hazard
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

CONTROL MEASURES FOR SAFE USE:

Control Measures

Provide adequate ventilation, and local exhaust as needed. Avoid breathing vapours/spray. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Guarantee sufficient ventilation during and after use, in order to prevent vapour accumulation. Have eye wash bottle or eye rinse ready at work place. When handling large quantities, supply emergency spray

Storage

Keep container tightly closed and in a well-ventilated place. Keep container dry. Keep only in the original container. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store containers in upright position.

SIDE EFFECTS

Symptoms

May cause drowsiness or dizziness. Causes skin irritation. May be fatal if swallowed and enters airways

EXPOSURE LIMITS

Yes

See "Occupational exposure limits" for more details.

PROTECTIVE CLOTHING OR EQUIPMENT (IF ANY) NECESSARY DURING USE:

	Safety Boots		Yes		
	Safety Goggles				
				OTHER	

COSHH ASSESSMENT

THE SUBSTANCE IS HAZARDOUS TO HEALTH WHEN:

In contact with Skin



In contact with Eyes



Breathed in



Swallowed



PRODUCT TYPE

Gas



Vapour



Mist



Fume



Dust



Liquid



Solid



FIRST AID – ACTION TO BE TAKEN IF SUBSTANCE IS:

Swallowed	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Immediately get medical attention.	In Contact with Skin	Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
Inhaled	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical treatment in case of troubles.	In Contact with Eyes	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently consult an ophthalmologist

FIRE PRECAUTIONS:

Extinguishing Media	Water spray jet, water mist, alcohol resistant foam, Extinguishing powder, Carbon dioxide	Hazardous combustion products	Non Listed
Unsuitable extinguishing Media	Full water jet	Advice for fire-fighters	Wear self-contained positive pressure breathing apparatus and full firefighting protective clothing.

CHEMICAL REACTIONS:

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Materials to avoid. No data available

Hazardous decomposition products : No decomposition when used properly.

ACCIDENTAL RELEASE MEASURES:

Avoid breathing vapours/spray. Avoid contact with the substance. In case of leakage, eliminate all ignition sources. Provide adequate ventilation. Wear appropriate protective equipment. Take off contaminated clothing and wash it before reuse. Keep unprotected people away. Cordon off downwind area at risk and warn inhabitants

DISPOSAL OF THIS PRODUCT

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculite, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Thoroughly clean surrounding area. Do not remove residual product with water and detergent. In case of greater quantities: Collect mechanically (use only explosion-proof equipment when pumping out).

OCCUPATIONAL EXPOSURE LIMITS

ASSESSOR NAME: