

COSHH ASSESSMENT

PRODUCT NAME:	Optex Filler	MANUFACTURER:	Evercoat
DATE	23/07/2025	STORAGE LOCATION:	Metal Cabinet
PROCESS:	Apply to Damaged area with applicator		

CLASSIFICATION OF SUBSTANCES

								
Explosive	Flammable	Gas under pressure	Oxidising	Corrosive	Acute Toxicity	Hazardous to environment	Health Hazard	Health Hazard
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

CONTROL MEASURES FOR SAFE USE:

Control Measures

Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove contaminated clothing and shoes. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked u

SIDE EFFECTS

Symptoms

IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

EXPOSURE LIMITS

Yes

See "Occupational exposure limits" for more details.

PROTECTIVE CLOTHING OR EQUIPMENT (IF ANY) NECESSARY DURING USE:

	Safety Boots		Yes		
	Safety Goggles				
				OTHER	

COSHH ASSESSMENT

THE SUBSTANCE IS HAZARDOUS TO HEALTH WHEN:

In contact with Skin



In contact with Eyes



Breathed in



Swallowed



PRODUCT TYPE

Gas



Vapour



Mist



Fume



Dust



Liquid



Solid



FIRST AID – ACTION TO BE TAKEN IF SUBSTANCE IS:

Swallowed	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician	In Contact with Skin	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists
Inhaled	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur	In Contact with Eyes	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists

FIRE PRECAUTIONS:

Extinguishing Media	Dry chemical. Carbon dioxide (CO ₂). Water spray. Alcohol resistant foam	Hazardous combustion products	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance
Unsuitable extinguishing Media	Do not scatter spilled material with high pressure water streams	Advice for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment

CHEMICAL REACTIONS:

Conditions to avoid Heat, flames and sparks

Materials to avoid. Strong acids. Strong bases. Strong oxidizing agents.

Hazardous decomposition products : None

ACCIDENTAL RELEASE MEASURES:

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled materials

DISPOSAL OF THIS PRODUCT

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

OCCUPATIONAL EXPOSURE LIMITS

ASSESSOR NAME:

COSHH ASSESSMENT