










COSHH ASSESSMENT

PRODUCT NAME:	Paint SprayAerosol	MANUFACTURER:	BMW Group
DATE	03/07/2025	STORAGE LOCATION:	Metal Cabinet
PROCESS:	Point nozzle at targeted area and spray from about 15 cm away		

CLASSIFICATION OF SUBSTANCES

								
Explosive	Flammable	Gas under pressure	Oxidising	Corrosive	Acute Toxicity	Hazardous to environment	Health Hazard	Health Hazard
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

CONTROL MEASURES FOR SAFE USE:

Control Measures

See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Storage

Store locked up. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Do not pierce or burn, even after use. Keep cool. Protect from sunlight.

SIDE EFFECTS

Symptoms


Gas reduces oxygen available for breathing. Causes serious eye irritation. May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking.

EXPOSURE LIMITS

Yes

See "Occupational exposure limits" for more details.

PROTECTIVE CLOTHING OR EQUIPMENT (IF ANY) NECESSARY DURING USE:

	Safety Boots		butyl-rubber		
	Safety Goggles				
				OTHER	

COSHH ASSESSMENT

THE SUBSTANCE IS HAZARDOUS TO HEALTH WHEN:

In contact with Skin



In contact with Eyes



Breathed in



Swallowed



PRODUCT TYPE

Gas



Vapour



Mist



Fume



Dust



Liquid



Solid



FIRST AID – ACTION TO BE TAKEN IF SUBSTANCE IS:

Swallowed	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.	In Contact with Skin	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
Inhaled	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.	In Contact with Eyes	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.

FIRE PRECAUTIONS:

Extinguishing Media	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	Hazardous combustion products	Carbon oxides Nitrogen oxides (NOx)
Unsuitable extinguishing Media	None	Advice for fire-fighters	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

CHEMICAL REACTIONS:

Conditions to avoid Heat, flames and sparks.

Materials to avoid. Oxidizing agents

Hazardous decomposition products None

ACCIDENTAL RELEASE MEASURES:

Evacuate personnel to safe areas. Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (s

DISPOSAL OF THIS PRODUCT

Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

OCCUPATIONAL EXPOSURE LIMITS

COSHH ASSESSMENT

ASSESSOR NAME: