










COSHH ASSESSMENT

| | | | |
|----------------------|---|--------------------------|---------------|
| PRODUCT NAME: | Universal lubricating spray | MANUFACTURER: | BMW Group |
| DATE | 03/07/2025 | STORAGE LOCATION: | Metal Cabinet |
| PROCESS: | Hold spray 20cm away from area required for lubrication | | |

CLASSIFICATION OF SUBSTANCES

| | | | | | | | | |
|--|---|---|---|---|--|---|---|---|
|  |  |  |  |  |  |  |  |  |
| Explosive | Flammable | Gas under pressure | Oxidising | Corrosive | Acute Toxicity | Hazardous to environment | Health Hazard | Health Hazard |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> |

CONTROL MEASURES FOR SAFE USE:

Control Measures

Do not get on skin or clothing. Avoid breathing spray. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment. Do not spray on an open flame or other ignition source.

Storage

Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Do not pierce or burn, even after use. Keep cool. Protect from sunlight.

SIDE EFFECTS

Symptoms

In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice

EXPOSURE LIMITS

Yes

See "Occupational exposure limits" for more details.

PROTECTIVE CLOTHING OR EQUIPMENT (IF ANY) NECESSARY DURING USE:

| | | | | | |
|---|----------------|---|----------------|---|--|
|  | Safety Boots |  | Nitrile Gloves |  | |
|  | Safety Goggles |  | |  | |
|  | |  | | OTHER | |

COSHH ASSESSMENT

THE SUBSTANCE IS HAZARDOUS TO HEALTH WHEN:

In contact with Skin



In contact with Eyes



Breathed in



Swallowed



PRODUCT TYPE

Gas



Vapour



Mist



Fume



Dust



Liquid



Solid



FIRST AID – ACTION TO BE TAKEN IF SUBSTANCE IS:

| | | | |
|-----------|---|----------------------|---|
| Swallowed | If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. | In Contact with Skin | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. |
| Inhaled | If inhaled, remove to fresh air. Get medical attention if symptoms occur. | In Contact with Eyes | Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. |

FIRE PRECAUTIONS:

| | | | |
|--------------------------------|---|-------------------------------|--|
| Extinguishing Media | Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical | Hazardous combustion products | Carbon oxides Metal oxides |
| Unsuitable extinguishing Media | High volume water jet | Advice for fire-fighters | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |

CHEMICAL REACTIONS:

Conditions to avoid Heat, flames and sparks.

Materials to avoid. Oxidizing agents

Hazardous decomposition products None

ACCIDENTAL RELEASE MEASURES:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

DISPOSAL OF THIS PRODUCT

Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements

OCCUPATIONAL EXPOSURE LIMITS

COSHH ASSESSMENT

ASSESSOR NAME: